Whirlpool Gold® Series Dishwasher with Stainless Steel Tub

WDF750SAYM 253 Reviews

why you'll love it...

Sensor Cycle

From baked-on casserole dishes to drinking glasses, the Sensor has you covered. It automatically selects the right wash and dry s for your load by using two separate sensors to measure temperat soil level and load size once during the prewash and once during wash cycle. It cleans tough soils 35% better[1] while using just the amount of time, energy and water, helping you have more time tc what you love.

AnyWare™ Plus Silverware Basket

Our improved AnyWare™ Plus silverware basket now holds up tc more pieces of silverware for maximum flexibility and is designed clean better. Place the silverware basket in the bottom rack, on th of the rack, or use it in the door for 100% usable rack space. Its improved design also allows you to access small silverware and e place the basket on the counter for unloading.

Resource - Efficient Wash System

This dishwasher's resource-efficient wash system cleans a full loa dishes using nearly 1/2 less water and energy[7]. Whirlpool Brand's improved motor and wash system optimizes cleaning for better cl results versus the previous wash system and provides our quiete of dishwashers ever.

Available in...

Black
MSRP $649.00

Monochromatic Stainless Steel
MSRP $749.00

White
MSRP $649.00

Product Overview....

Whirlpool Gold® Series Dishwasher with Stainless Steel Tub

This dishwasher is as beautiful on the inside as it is on the outside. A stainless steel tall tub adds a sleek, smooth texture to the interior and provides h heat retention to further improve drying performance. A virtually flush door with a shorter 2-1/2" console adds a modern look to your contemporary kitc

is easy to clean. Not only does this model fit seamlessly in your kitchen, it'll also fit your lifestyle. From our quietest line of dishwashers, this model fea
Quiet Partner™ IV sound package, the highest level of quiet operation and sound-reducing insulation.

Additional Features...

Quiet Partner™ IV Sound Package
Whirlpool brand dishwashers offer many levels of quiet operation with this system of sound-reducing insulation.

No One Has Fewer Repairs 16 Years In A Row
Whirlpool® dishwashers are designed to endure repeated use and to deliver years of reliable performance. No one has fewer dishwasher repairs 15 y
row[22].

ENERGY STAR® Qualified
Whirlpool® dishwashers exceed government efficiency standards, so they are better for the environment and your wallet.

Specifications...

Configuration and Overview
Fully Integrated/Console: 2.5 in. Console
Capacity: 15.0 Place Settings

Whirlpool Sensing and Adapting Technology
Auto Soil Sensor: Auto Soil Sensor

Energy and Eco-Friendly
Resource Saver: Resource Efficient
Energy Star® Qualified: Yes

Style and Extras
Interior Finish: Stainless
Sound Decible Rating: 51

Cycle and Options
Number of Cycles: 5
Delay Wash: 2/4/8 Hour
Heated Dry Option: Yes
Sanitize Option: Yes

Dimensions
Height: 34 1/2
Width: 23 7/8
Minimum Height: 33 1/2
Depth: 24 1/2
Maximum Height: 34 1/2

(1) Compared to previous wash system.
(2) According to a leading consumer magazine.
(3) Based on the Consortium for Energy Efficiency product qualifications. Visit cee1.org for more information.
(4) Available on Whirlpool® models MSRP $449 and above.
(5) Available on Whirlpool® models MSRP $449 and above.
(6) Available on Whirlpool® models MSRP $449 and above.
(7) Compared to dishwashers manufactured before 2006.

(8) Compared to Normal cycle with lightly soiled loads.

Registered trademark/TM Trademark of Whirlpool, U.S.A. 2010 Whirlpool Corporation. All Rights Reserved. All other trademarks are c
by their respective companies.

Ice Maker

PRODUCT MODEL NUMBER

GI15NDXX GI15NFLX GI15NFRX

Electrical: A 115 Volt, 60 Hz., AC only, 15- or 20-amp electrical supply, properly grounded in accordance with the National Electrical Code and local codes and ordinances, is required.

It is recommended that a separate circuit, serving only your ice maker, be provided. Use a receptacle which cannot be turned off by a switch or pull chain.

IMPORTANT: If this product is connected to a GFCI (Ground Fault Circuit Interrupter) equipped outlet, nuisance tripping of the power supply may occur, resulting in loss of cooling. Food quality and flavor may be affected. If nuisance tripping has occurred, and if the condition of the food appears poor, dispose of it.

Water: A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate ice maker and water dispenser. If you have questions about your water pressure, call a licensed, qualified plumber.

Reverse Osmosis Water Supply: The pressure of the water coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 30 and 120 psi (207 and 827 kPa).

Location:

- To ensure proper ventilation for your ice maker, the front side must be completely unobstructed. The ice maker may be closed-in on the top and three sides, but the installation should allow the ice maker to be pulled forward for servicing if necessary.
- Installation of the ice maker requires a cold water supply inlet of ¼" (6.35 mm) OD soft copper tubing with a shutoff valve and either a gravity-drain system or condensate pump to carry the water to an existing drain.
- Choose a well ventilated area with temperatures above 55°F (13°C) and below 110°F (43°C). Best results are obtained between 70°F (21°C) and 90°F (32°C).

CABINET OPENING DIMENSIONS



A. Recommended location for electrical and plumbing fixtures.

B. Floor level

- Be sure the power supply cord is not pinched between the ice maker and the cabinet.
- Be sure the water supply line is not pinched between the ice maker and the cabinet.
- Be sure the drain line (on some models) is not pinched between the ice maker and the cabinet.
- Choose a location where the floor is even. It is important for the ice maker to be level in order to work properly.

DRAIN REQUIREMENTS



A. Water supply tube clamp

B. Vent hose (drain pump models only)

C. Inlet water tube clamp and supply line connector

D. Drain hose (drain pump models only)



A. Drain hose

B. 1" (2.54 cm) air gap

C. PVC drain reducer

D. Center of drain should be 23" (58.4 cm) from front of door, with or without the ¾" (1.91 cm) panel on the door. The drain should also be centered from left to right (7⅝" [18.56 cm] from either side of the ice maker).

Drain: Either a gravity-drain system or condensate pump to carry water to an existing drain.

- Drain lines must have a minimum of ⅝" (15.88 mm) inside diameter.
- Drain lines must have a 1" drop per 48" (2.54 cm drop per 122 cm) of run or ¼" drop per 12" (6.35 mm per 30.48 cm) of run and must not have low points where water can settle.
- The floor drains must be large enough to accommodate drainage from all drains.
- The ideal installation has a standpipe with a 1½" (3.81 cm) to 2" (5.08 cm) PVC drain reducer installed directly below the outlet of the drain tube as shown. You must maintain a 1" (2.54 cm) air gap between the drain hose and the standpipe.
- It may be desirable to insulate the drain line thoroughly up to the drain inlet.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

Ref. W10282149A
8/20/10

Whirlpool Gold® 15-inch Ice Maker with Reversible Door

GI15NDXXS 4 Reviews

why you'll love it...

Makes up to 50 lbs. of ice every 24 hours with Fast Ice

Large capacity bin stores up to 25 lbs. of fresh, clear ice

The easy-to-access storage bin features a handy ice scoop

Available in...

Black
MSRP $1,599.00

Stainless Steel
MSRP $1,699.00

White
MSRP $1,599.00

Product Overview....

Whirlpool Gold® 15-inch Ice Maker with Reversible Door

Have ice ready for any occasion with this convenient ice maker. With the Fast Ice setting, you can make up to 50 pounds of fresh, clear ice every 24 hours in this 15-inch slide-in model. This well-lit unit stores up to 25 pounds of ice at once and dispenses it easily with the handy scoop. Plus, the Electronic Clean cycle ensures a consistent production of ice that looks and tastes great. It's perfect for entertaining, as everyone's drinks will be cold for the duration. What's more, the reversible door gives you installation options. An indicator light lets you know when it's time to clean out mineral deposits. Cold ice, whenever you need it.

Additional Features...

Electronic clean cycle ensures a consistent production of ice that looks and tastes great

Flat reversible door

Specifications...

Style and Extras
Control Type: Electronic

Dimensions

Depth: 24 3/8	Width: 14 7/8	Cutout Width: 15
Cutout Height: 34	Depth Closed Including Handles: 24 3/8	Depth Excluding Doors: 21 1/2
		Cutout Depth: 24
Depth Radius: 36 7/8	Height: 34 3/8	

Registered trademark/TM Trademark of Whirlpool, U.S.A. 2010 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies.

Whirlpool® 1.6 cu. ft. Countertop Microwave with 1,200 Watts Cooking Power

WMC30516AS 40 Reviews

why you'll love it...

Sensor Cooking

Take the guesswork out of microwave meals. You can cook with confidence, knowing that a built-in sensor monitors the humidity level of food for you, adjusting time and temperature as needed during the cooking process.

1,200 Watts Cooking Power

Our countertop microwaves provide from 700 to 1,200 watts of power, so there's one that's right for your kitchen no matter what your cooking requirements.

Recessed Glass Turntable

Available in...

Black
MSRP $189.00

Stainless Steel
MSRP $219.00

White
MSRP $189.00

Product Overview....

Whirlpool® 1.6 cu. ft. Countertop Microwave with 1,200 Watts Cooking Power

Prepare everything from frozen pizza to pot roast quickly and easily with flexible cooking from this Whirlpool® countertop microwave. With up to 1,200 watts of cooking power, you'll have the power you need to prepare all types of food. Sensor cooking tracks the progress of your food and automatically adjusts cooking time as neededto deliver optimal results. A recessed glass turntable also makes cooking with larger items, like cooking bowls, easy so you can prepare caramel corn, party mix and soups in the microwave. Plus, you can create a custom look with the optional built-in trim kit which allows for easy installation in standard-sized cabinets over select 27" or 30" wall ovens.

21 cu. ft. Top-freezer refrigerator with CEE Tier 3[1] rating

WRT351SFYM 47 Reviews

why you'll love it...

Industry's Most Energy-efficient Top Freezer Refrigerator Available

The industry's most energy-efficient top-freezer refrigerator[3] is EN STAR® qualified and more energy efficient than the federal minir standard by more than 30% to earn an eco-friendly CEE Tier 3[1] r Plus, this refrigerator uses less energy each year than a 40-watt l bulb[2].

Full-width Pantry

Store wide items or preserve large amounts of meat and cheese industry's largest capacity pantry drawer available[4].

Contemporary Design

Bring a modern look to the kitchen with top freezer refrigerators tl feature smooth, contoured doors, hidden hinges and a flush base Select models also feature flush exterior water dispensers for a s look.

Available in...

Monochromatic Stainless Look
MSRP $1,099.00

Black
MSRP $999.00

Monochromatic Stainless Steel
MSRP $1,199.00

White
MSRP $999.00

Product Overview....

21 cu. ft. Top-freezer refrigerator with CEE Tier 3[1] rating

Saving energy and money on your utility bills has never been so easy. Whirlpool brand's 21 cu. ft. top-freezer refrigerator is the industry's most energy available. It's CEE Tier 3[1] rated and even uses less energy each year than a 40-watt light bulb[2]. You can also store large amounts of meat and cheese full-widthpantry, while contoured doors, hidden hinges and a flush base grille create a modern exterior on this energy-saving model.

Additional Features...

Can Caddy
This bin keeps beverages cold, secure and easy to grab. With room for up to 9 soda cans or a single bottle of wine, your favorite beverage is always c hand.

Adjustable Door Bins
Easily customize door storage when and where you need it. Clear bins adjust to accommodate your storage needs.

Humidity-controlled Crisper Bins
Helps you preserve the freshness of fruits and vegetables with selectable humidity levels. Two crisper sizes allow for even more customization.

Specifications...

Energy and Eco-Friendly
Energy Star® Qualified: Yes, 30%

Style and Extras
Icemaker Type: Field Installed

Control Type: Single Knob/ Single Thermostat

Capacity
Freezer Capacity: 6.13 Cu. Ft.

Refrigerator Capacity: 14.95 Cu. Ft.

Total Capacity: 21.1 Cu. Ft.

Dimensions
Width: 32 1/2

Height To Top Of Cabinet: 65 1/2

Depth Radius: 62 1/4

Height: 66 1/4

Depth: 33 7/8

Depth Excluding Doors: 28 1/2

Depth Closed Including Handles: 33 7/8

(1) Based on the Consortium for Energy Efficiency qualified product ratings. Visit cee1.org for more information.
(2) Based on continuous operation of bulb for one year.
(3) Among leading competitive top-freezer brands, 19 cu. ft. capacity and above; based on 30% more efficient than federal minimu energy standards.
(4) Among leading brand top freezer refrigerators with pantry drawers based on drawer volume. This is only applicable to 21 cu. ft. models.

Registered trademark/TM Trademark of Whirlpool, U.S.A. 2010 Whirlpool Corporation. All Rights Reserved. All other trademarks are c by their respective companies.